INDEX*

(New genera, species, etc., are printed in *italics*. Page numbers of principal entries also in italics.)

Ablabesmyia, subg., 86, 87, 103
Acacia, 260
Acalypta, 331, *332*, 334 (key)
  barberi, 332, 334, *340*, 342
  cooleyi, 334, *337*
  duryi, 334, *335*, 336, 337
  grisea, 341
  lillianis, 331, 334, *341*, 342
  madelinae, 338
  mera, 340
  mniophila, 331, 334, *337*
  modesta, 341
  nyctalis, 331, 334, *339*
  ovata, 335, 341
  saundersi, 334, *335*, 336, 337
  sauteri, 336, 337
  thomsonii, 331, 334, *338*
  vanduzeei, 335, *342*
  vandykei, 335, 343
Acalypta (Hemiptera: Tingidae), American species of the lacebug genus, 331–345
acanthias, Squalus, 566
Acanthosoma, 226
Acanthurus dussumieri, 164, 178, 233
  guttatus, 171, 178
  mata, 233
  nigroris, 211
  olivaceous, 178, 179, 203, 233, 356
  triostegus sandvicensis, 137, 149, 156, 164, 178, 179, 203, 211, 212, 233, 356
  xanthopterus, 211
aclines, Anatopynia, *104*, 105 (fig.), 109
Acocoelidia, 274
  unipuncta, 274
acutus, Carcharias, 589, 590, 594, 598
  Rhizoprionodon, 569 (table), 570 (table), 571, 580, 590, 591 (table), 592 (table), 595 (figs.), 599 (figs.), 604, 619
  Rhizoprionodon (Rhizoprionodon), *594*
Adele, 292
Adiantum tenerum, 26
Aeaea, 290, 293, *297*, 298 (key), 300, 301, 304
  dulcedo, 298, 300, *301*, 304, 323 (fig.), 327 (fig.)
Aeaea—Continued
  extensa, 297, 298, 299, 300, *306*, 324 (fig.), 327 (fig.)
  juvantis, 299, *300*, 301, 303, *304*, 305, 306, 307, 323 (fig.)
  ostryaecella, 297, 298, 299, 300, *302*, 304, 305, 319 (fig.), 320 (fig.), 322 (fig.), 326 (fig.)
  purpuriella, 315
  quadricristatella, 303
  quadricustatella, 298, 299, 300, *303*, 328 (fig.)
  rhynchosiae, 297, 298, 299, 300, *305*, 324 (fig.), 326 (fig.)
  risor, 299, 300, *304*, 307, 324 (fig.)
  sagana, 299, 300, *305*, 324 (fig.)
  stellans, 300
  stipator, 293, 298, 299, 300, *303*, 323 (fig.), 326 (fig.)
  venatrix, 299, 300, *301*, 323 (fig.) 327 (fig.)
  venifica, 298, 299, 300, *301*, 323 (fig.)
  victor, 298, 299, 300, *304*, 322 (fig.),
Aeaea sp. a, 307, 327 (fig.)
Aeaea sp. b, 307, 327 (fig.)
Aeaea sp. c, 307, 328 (fig.), 329 (fig.)
Aeaea sp. d, 290, 308, 327 (fig.)
Aeaea sp. e, 308, 328 (fig.)
Aeaea sp. f, 308, 328 (fig.)
Aeaea, unnamed sp., 307
aequalis, Alpheus, 447, 451, 455
  Betaeus, 447
"aequalis," Betaeus, 432
"aequimanus," Betaeus, 432
aesiocopia, Gonioterma, 383, *384*, 387 (fig.), 388 (fig.)
  Stenoma, 384
affinis, Scoliodon, 588, 589
alascensis, Anatopynia, 109
alba, Pentaneura, 89
albilus, Stichaster, 43
albitalus, Procladius, 122
albula, Stepganasterias, 33 (map), *43*
albulus, Asteracanthion, 43
Alebion glaber, 377
algens, Anatopynia, 109
algosa, Gonioterma, 383, *385*, 387 (fig.), 388 (fig.)
  Stenoma, 385

*No. 3492, Emilio Estrada, Betty J. Meggers, and Clifford Evans, The Jambelí Culture of South Coastal Ecuador, pp. 483–558, is indexed separately on pp. 649–654.

748-138—65——2

Alpheidae, 431, *434*
Alpheus, 432
aequalis, 447, 451, 455
(Betaeus) aequalis, 447
harfordi, 432, 447
longidactylus, 441
Altica ludoviciana, 19
occidentalis, 15 (fig.), *19*
oleracea, 19
Alticinae (Coleoptera), Notes on new and old species of, from the West Indies, 9–30
Amaurogramma, 297, 298
extensa, 297, 306
quadricristatella, 303
americana, Pentaneura, 89
Amorpha fruticosa, 290
amorphella, Walshia, 290
Amphicarpa bracteata, 310
Amphicarpa sp., 290
Amphipods, Seven new, from the west coast of North America with notes on some unusual species, 391–430
Anatopynia, 109 (key)
aclines, *104*, 105 (fig.), 109
(Macropelopia) *aclines*, *104*, 105 (fig.)
alaskensis, 109
algens, 109
brunnea, 109
decolorata, 109
discolor, 110
dyari, 106, 110
(Psectrotanypus) dyari, 106
eumorpha, 105 (fig.), *107*, 110
(Psectrotanypus) *eumorpha*, 105 (fig.), *107*
fastuosa, 109
florens, 109
guttularis, 109
hirtipennis, 106, 109
johnsoni, 110
marginella, 104, 109
miripes, 109
submarginella, *103*, 105 (fig.), 109
(Anatopynia) *submarginella*, *103*, 105 (fig.)
venusta, *108*, 109
(Psectrotanypus) venusta, *108*
Anatopynia, subg., 103, 105 (fig.), 109
angulatum, Sagum, 232
angusticollis, Longitarsus, 14
Anisogammarus confervicolus, *423*, 424 (fig.), 425 (fig.)
(Eogammarus) confervicolus, 423
schmitti, *420*
annulatus, Sphaeroides, 178
Anonyx, 392
nugax, 392
Anthosomatidae, 225, 232
Antispila, 292
antleri, Cocoelidia, 271, 284 (fig.)
Neocoelidiana, 271
Anuretes, *187*, 194
brevis, 194
heckeli, 194
menehune, *195*, 197 (fig.), 201 (fig.), 202 (table)
renalis, 188
serratus, *188*, 190 (fig.), 193 (fig.), 194 (table), 199, 202
aphrogramma, Gonioterma, 383
Stenoma, 384
Aphthona, 11, 12
crucifera, *9*, 10, 13 (fig.)
inornata, *11*, 13 (fig.)
insularis, *11*, 13 (fig.)
lamprocyanea, *11*, 13 (fig.)
lepta, *10*, 13 (fig.)
maculipennis, 10
apicalis, Pentaneura, 93
Aprionodon isodon, 574
apua, Mycteroperca venenosa, 178, 347, 358
Aradidae, 245, 246
Aradidae, Notes on, in the U.S. National Museum, III: Subfamily Meziriinae (Hemiptera), 245–258
Arctiidae, 47
Arctostaphylos, 260
argentea, Sphyraena, 178
argicerauna, Gonioterma, 383, *384*, 387 (fig.)
Stenoma, 384
Arictus, 249
arietinus, Podonomus, 127
Ascalenia, 292
ceanothiella, 292
asphaltina, Haltica, 21
Nesaecredida, 15 (fig.), 21, 22
assimilis, Haliotis, 450
astera, Cernotina, 476
Asteracanthion albulus, 43
groenlandicus, 44
linckii, 43
polaris, 44
Asterias crispata, 36
gunneri, 43
militaris, 38
papposa, 38
stellionura, 43
vulgaris, 31, 35
Asterina tumida tuberculata, 36, 37, 38
Asteroidea of the Blue Dolphin Expeditions to Labrador, 31–46
atypicus, Longitarsus, 13 (fig.), *16*
Aulostomus chinensis, 363
aurantia, Megacoelidia, 267

bairdi, Paramphithoe, 413
Balistoides viridescens, 363
barbatulus, Procladius, 119 (fig.), *121*
barberi, Acalypta, 332, 334, *340*, 342
Mezira, *256*
Pentaneura, *90*, 91 (fig.), 93
Tanypus, 90
basalis, Systena, 15 (fig.), *18*
bathyphilia, Prodiamesa, 129
baxteri, Etmopterus, 3

bella, Chinaia, 264, 281 (fig.)
bellator, Xiqilliba, 268, 283 (fig.)
bellus, Procladius, *126*
Tanypus, 126
Betaeus, 431, 432, *434* (key), 449
aequalis, 447
"aequalis," 432
"aequimanus," 432
ensenadensis, 431, 432, 434, 436 (table), *445*, 462 (fig.), 463 (fig.)
equalis, 432
equimanus, 432, 447
gracilis, 432, 434, 437 (table), *453*, 464 (fig.), 465 (fig.), 466 (fig.)
harfordi, 431, 432, 433, 434, 437 (table), *447*, 451, 453, 456, 457, 458, 464 (fig.), 465 (fig.), 466 (fig.)
harrimani, 431, 433, 434, *435*, 436 (table), 441, 444, 447, 461 (fig.), 462 (fig.), 463 (fig.)
longidactylus, 431, 432, 433, 434, 436 (table), *441*, 447, 462 (fig.), 463 (fig.)
macginitieae, 432, 434, 437 (table), *451*, 464 (fig.), 465 (fig.), 466 (fig.)
setosus, 432, 434, 437 (table), *455*, 464 (fig.), 465 (fig.), 466 (fig.)
truncatus, 435
Betaeus, new sp., 445
Betaeus, subg., 447
"Betaeus harfordi," 458
Betaeus, Shrimps of the genus, on the Pacific Coast of North America with descriptions of three new species, 431–466
bifasciata, Pentaneura, 93
bifurcatus, Dentigryps, *203*, 205 (fig.), 209 (fig.), 210 (table), 347, 356 (table), 357 (fig.), 366, 368, 369 (tables), 370 (tables), 371 (fig.), 372, 373, 374 (table), 375 (fig.), 376 (table), 377, 378
Biza, 259, 262, *274*
craspa, 280 (fig.), 287 (fig.)
crocea, 274
Blake, Doris H., Notes on new and old species of Alticinae (Coleoptera) from the West Indies, 9–30
Bodianus diplotaenia, 178
bonito, Caligus, 148, 149
Boreochlus persimilis, *127*, 131 (fig.)
borneensis, Carcharhinus, 560
bourquini, Gonionota, *70*, 71 (fig.), 74, 76
brachyptera, Placogenis, 245, *246*
Brachyrhynchus, 249
rugiventris, 250
bracteata, Amphicarpa, 310
branicki, Pseudodiamesa, *128*, 129
brasiliensis, Pseudoepitrix, 17 (fig.), *24*
brevis, Anuretes, 194
brooksi, Pentaneura, 102
brunnea, Anatopynia, 109
bryophanes, Gonioterma, 383, *385*, 387 (fig.)
Stenoma, 385
bungei, Halirages, *406*, 407 (fig.)

Cacao, 414
lacteus, 414
sanguineus, 414
caenothiella, Periploca, 295
calamus, Peniculus, 137, *233*, 235 (fig.)
californica, Pterygophora, 458
californicus, Paralichthys, 178
Rhamnus, 313
californiensis, Callianassa, 440, 447
Caligidae, 141 (fig.), 194, 377, 378
Caligoida, 232, 348
Caligus, 138, *141*, 171, 177
bonito, 148, 149
constrictus, 141, 157, 158, 159 (fig.), 160, 161, 162, 163, 171
flexispina, *149*, 151 (fig.), 154 (fig.), 156 (table)
kala, 142, 143 (fig.), 147 (fig.), 148 (table)
kalumai, *171*, 173 (fig.), 177 (table)
kuroshio, 148, 149
ligatus, *164*, 165 (fig.), 170 (fig.), 171 (table)
longicervicis, 171
oviceps, 165, 177, 178
praetextus, 171
punctatus, 177, 178
quadratus, 171
randalli, *156*, 159 (fig.), 162 (fig.), 163 (table)
sphyraenae, 171
Callianassa californiensis, 440, 447
Calliopiidae, 406
canicula, Scyliorhinus, 5
canis, Mustelus, 566
Caranx melampygus, 351
carcharhinid shark genera Scoliodon, Loxodon, and Rhizoprionodon, A revision of the, 559–632
Carcharhinidae, 559, 573, 574
Carcharhinus, 560
borneensis, 560
longimanus, 2
oxyrhynchus, 574
porosus, 560
temminckí, 574
Carcharias, 580
acutus, 589, 590, 594, 598
crenidens, 600
(Scoliodon) crenidens, 590, 594
dumerili, 589
(Scoliodon) dumerili, 588
eumeces, 594, 598
(Scoliodon) lalandei, 621
(Scoliodon) lalandii, 615
(Scoliodon) laticaudus, 574, 577, 578, 579, 580
longurio, 611, 615
(Scoliodon) macrorhynchus, 573, 574, 579, 583
(Physodon) mülleri, 573, 574

Carcharias—Continued
palasorra, 574, 579, 590
sorrakowah, 579, 580, 594
(Scoliodon) walbeehmi, 594, 600
Carcharias, subg., 601
Carcharius palasorra, 580
sorrah kowah, 580
Caridea, 431
carinata, Tingis, 332
carinatus, Tanypus, 105 (fig.), *110*, 121
carioca, Mexira, 247 (fig.), *255*, 256
carnea, Pentaneura, 88, 89, 93
Caronx melampygus, 351
Ceanothiella, Ascalenia, 292
Stagmatophora, 292
Ceanothus sp., 290
cerifera, Myrica, 10
Cernotina, 468, 470, 476
astera, 476
ceylonensis, Scoliodon, 588, 589
Chaetocnema, 23
cyanoptera, 15 (fig.), *23*
plicipennis, 23
Chaetodon quadrimaculatus, 178
championi, Mexira, *251*
Chinaia, 259, 260, 261, *264*
bella, 264, 281 (fig.)
lepida, 287 (fig.)
chinensis, Aulostomus, 363
Chironomid midges of California, II: Tanypodinae, Podonominae, and Diamesinae, 85–136
Chironomus nivorundus, 130
chlanidotus, Longitarsus, 13 (fig.), *14*, 16
chloreus, Procladius, 122, 134
chlorina, Gonioterma, *383*, 384, 387 (fig.), 388 (fig.)
Stenoma, 383
Cholotis, 292
semnostola, 291, 292
choreus, Tanypus, 134
christiernana, Phalaena tortrix, 61
Chrysoclista, 312
Chrysopeleia, 293, 297, *314*
ostryaeella, 302
purpuriella, 290, 314, *315*, 319 (fig.), 320 (fig.), 322 (fig.), 326 (fig.), 329 (fig.)
quadricristatella, 303
chrysophrys, Lernanthropus, 232
chrysos, Pentaneura, *70*, 91 (fig.)
cinereus, Polycentropus, *478*, 479 (fig.)
Cinyphus, *246*
saileri, *246*, 247 (fig.)
squalidus, 249
citrinalis, Hypercallia, 61
clara, Stenocoelidia, 263
Clarke, J. F. Gates, Neotropical microlepidoptera, III: Restriction of Gonionata melobaphes Walsingham with descriptions of new species (Lepidoptera: Oecophoridae), 61–84
clarkei, Tichocoelidia, 270
Clemensia, 48
Coccoelidia, 261, *271*
antleri, 271, 284 (fig.)
Coccoelidia, subg., 271
Coelana, 261, *269* (key)
drakei, *269*, 287 (fig.)
modesta, 269, 270, 282 (fig.)
Coelana, subg., 269
Coelella, 262, *273*
distincta, 274, 285 (fig.)
venosa, 274
Coelella, subg., 273
Coelidiana, 259, 262, 269, 272, *274*, 275
coronata, *275*
croceata, *275*, 286 (fig.)
defila, 272
coenosus, Pleuronichthys, 440
Coleophoridae, 290
Coleoptera, 9
colombiana, Xenococelidia, 266
comosa, Pentaneura, *93*, 97 (fig.), 102
Conchapelopia, 89, 103
confervicola, Mara, 423
Melita, 423
conferviicolus, Anisogammarus, *423*, 424 (fig.), 425 (fig.)
Gammarus, 423
constrictus, Caligus, 141, 157, 158, 159 (fig.), 160, 161, 162, 163, 171
contrasta, Gonionota, *64*, 65 (fig.), 70
cooleyi, Acalypta, 334, *337*
Copepoda, 348
Copepods (Crustacea), Caligoid, of the Hawaiian Islands: Parasitic on fishes of the family Acanthuridae, 137–244
Coptotelia, 62
vexillata, 73
cora, Diarhabdosia, 56
Rhabdatomis, 48, 49, 50, 51, *56*
Rhabdatomis cora, 57
Corelidiana rubrolineata, 275, 286 (fig.)
undata, 275
unipuncta, 275, 286 (fig.)
cornigera, Sympleustes, *408*, 409 (fig.)
coroides, Diarhabdosia, 57
Rhabdatomis cora, *57*
coronata, Coelidiana, *275*
Neococelidia, 275
corrugata, Haliotis, 450, 451
corusca, *Neoploca*, *294*, 320 (fig.), 321 (fig.), 325 (fig.), 329 (fig.)
Cosmopterigidae, 291, 292 (key)
costalimai, Mexira, 247 (fig.), *253*
costatus, Nesippus, *211*, 214 (fig.), 217 (fig.), 222 (fig.), 224 (table)
cracherodii, Haliotis, 450
Crambidia laudamia, 53
pusa, 59
Crangonidae, 431
craspa, Bisa, 280 (fig.), 287 (fig.)
crassus, Lepeophtheirus, 370
crenidens, Carcharias, 600
Carcharias (Scoliodon), 590, 594
crenulata, Neococelidia, *264*, 280 (fig.)
Syrrhoe, 404, 405
Crepidodera, 21

Crepidoderini, 21
cribraria, Leptasterias, 44
Cribrella pectinata, 39, 40, 41
sanguinolenta scabrior, 41
crispata, Asterias, 36
crispatus, Ctenodiscus, 33 (map), *36*
cristata, Gonionota, 81 (fig.), *82*, 84
Metopa, *396*, 397 (fig.)
crocea, Biza, 274
croceata, Coelidiana, *275*, 286 (fig.)
Neocoelidia, 275
crucifera, Aphthona, *9*, 10, 13 (fig.)
Ctenochaetus strigosus, 212, 233
Ctenodiscus crispatus, 33 (map), *36*
culiciformis, Procladius, 122, 123, 124, 126, 131 (fig.), *134*
Tipula, 134
cupraea, Hermaeophaga, 20
curtus, Dentigryps, 203, 204, 205 (fig.), 207, 208, 209, 210, 347, 348, 350, *358*, 359 (fig.), 360 (fig.), 361 (fig.), 362 (table), 364, 366, 368, 369 (table), 370 (tables), 371 (fig.), 372, 373, 374 (table), 375 (fig.), 376 (tables), 377, 378, 379
curvata, Micropholis, 20
cyanoptera, Chaetocnema, 15 (fig.), *23*
Cyclopoida, 232
cylindricus, Longitarsus, *12*, 13 (fig.), 16
Cynocephalus, 573
Cyrnellus, 469, 470, 471
fraternus, 468 (fig.), *469*
Cyrnus fraterna, 469
pallidus, 471, 475, 476
Cystioecetes nimbosus, 312, 313

daedala, Sorhagenia, 313, *314*, 321 (fig.), 326 (fig.)
dalli, Kyska, *392*, 393 (fig.)
Daulocoris, 249
Deania, 578
decolorata, Anatopynia, 109
defila, Coelidiana, 272
Nelidina, 272, 284 (fig.)
Deltocephalinae, 259, 260
Deltocoelidia, 261, *265*
maldonadoi, 265
denticulatus, Procladius, 123, *124*, 125 (fig.)
Dentigryps, *203*, 347, *348* (table), 349 (fig.), 350 (table), 371 (figs.), 376 (table), 377 (key)
bifurcatus, *203*, 205 (fig.), 209 (fig.), 210 (table), 347, 356 (table), 357 (figs.), 366, 368, 369 (tables), 370 (tables), 371 (fig.), 372, 373, 374 (table), 375 (fig.), 376 (table), 377, 378
curtus, 203, 204, 205 (fig.), 207, 208, 209, 210, 347, 348, 350, *358*, 359 (fig.), 360 (fig.), 361 (fig.), 362 (table), 364, 366, 368, 369 (table), 370 (tables), 371 (fig.), 372, 373, 374 (table), 375 (fig.), 376 (tables), 377, 378, 379
Dentigryps—Continued
litus, *362*, 364 (fig), 365 (fig.), 366 (table), 367 (fig.), 368, 369 (tables), 370 (tables), 371 (fig.), 372, 373, 374 (table), 375 (fig.), 376 (table), 377, 378, 379
ulua, *351*, 352 (table), 353 (fig.), 354 (fig.), 355 (fig.), 366, 368, 369 (tables), 370 (tables), 371 (fig.), 372, 373, 374 (table), 375 (fig.), 376 (table), 377, 378, 379
Dentigryps (Crustacea: Caligoida), The caligid copepod genus, 347–380
derzhavini, Neopleustes, 413
determinata, Gonionota, 67, *68*, 69 (fig.), 70, 76
Diamesa fulva, *129*
nivorunda, *150*
waltli, 130
Diamesinae, 85, 128
Diarhabdosia, 47, 48
cora, 56
coroides, 57
laudamia, 53
mandana, 51
melinda, 52
minima, 48
pueblae, 53
diastena, Pseudodiamesa, *128*, 131 (fig.)
Diodon holocanthus, 212
Diphyllonotus, 246
diplotaenia, Bodianus, 178
discolor, Anatopynia, 110
dissimulatus, Lepeophtheirus, *178*, 180 (fig.), 183 (fig.), 186 (table)
dissita, Gonionota, *67*, 70
distincta, Coelelia, 274, 285 (fig.)
Neocoelidia, 273
Stilipes, *414*, 415 (fig.)
dognini, Rhabdatomis, 48, 49, *50*, 53, 58
dorsisignata, Salvina, 271, 283 (fig.)
Tettigonia, 270
Drake, Carl J., and Lattin, John D., American species of the lacebug genus Acalypta (Hemiptera: Tingidae), 331–345
drakei, Coelana, *269*, 287 (fig.)
Drakella, 332
ovata, 335
saundersi, 335
Drakella [ovata], 335
draudti, Rhabdatomis, 49, *54*, 55
dubia, Metopelloides, *400*, 401 (fig.)
Duckworth, W. Donald, A new Brazilian moth of the genus Gonioterma with notes on related species (Lepidoptera: Stenomidae), 381–390
dulcedo, Aeaea, 298, 300, *301*, 304, 323 (fig.), 327 (fig.)
dumerili, Carcharias, 589
Carcharias (Scoliodon), 588
duryi, Acalypta, 334, *335*, 336, 337
Dusius, 249
dussumieri, Acanthurus, 164, 178, 233

dyari, Anatopynia, 106, 110
Tanypus, 106
Dysgamus, 377

Echiniphimedia hodgsoni, 420
echinophora, Ushakoviella, *417*, 419 (fig.)
Ectroproceros, 292
Elachista rhamniella, 312
endeca, Solaster, 31, 32, 33 (map)
ensenadensis, Betaeus, 431, 432, 434, 436 (table), *445*, 462 (fig.), 463 (fig.)
Eogammarus, subg., 423
Epinephalus guaza, 178
labriformis, 178
morio, 178
Epinephelus fuscoguttatus, 363
equalis, Betaeus, 432
equimanus, Betaeus, 432, 447
erransella, Perimede, 290
Eschinaster eschrichtü, 39
eschrichti, Henricia, 33 (map), 35, 40 (fig.), 42
Henricia eschrichti, *39*
eschrichtü, Eschinaster, 39
esmarki, Metopa, 400
Etmopterus baxteri, 3
eumeces, Carcharias, 594, 598
eumorpha, Anatopynia, 105 (fig.), *107*, 110
eurycephala, Mezira, 254
Eurycoelidia, subg., 262, 263
Euryphoridae, 377
Eustixis minima, 47, 48
excavata, Gonionota, *78*, 79 (fig.), 82
Exoceras, 25, 26
facialis, 17 (fig.), *25*
heikertingeri, 17 (fig.), 26
hispaniola, 26
hoffmani, 26
hottensis, 26
jamaicensis, 26
punctatissima, 26
suffriani, 17 (fig.), 26
tetraspilota, 26
expansus, Norion, 137, 225, *226*, 228 (fig.), 230 (fig.)
exquisita, Gonioterma, *382*, 383, 384, 387 (fig.), 388 (fig.)
extensa, Aenea, 297, 298, 299, 300, *306*, 324 (fig.), 327 (fig.)
Amaurogramma, 297, 306
Rhabdatomis, 49, *56*, 59
extima, Gonionota, 75 (fig.), *76*

facialis, Exoceras, 17 (fig.), *25*
fasseli, Rhabdatomis, 49, *58*, 59, 60
fastigata, Gonioterma, 383, *385*
Stenoma, 385
fastuosa, Anatopynia, 109
Fenestrella, 332
ovata, 335
Field, William D., Moths of the genus Rhabdatomis Dyar (Arctiidae: Lithosiinae), 47–60
fimbriata, Gonionota, 80, 81 (fig.), *83*
Pentaneura, 102
Fistularia petimba, 356
flaveola, Pentaneura, 102
flavescens, Zebrasoma, 178, 179
flavida, Psychomyia, 478, *479* (fig.)
flavifrons, Pentaneura, 89
flavus, Nyctiophylax, 471
flexispina, Caligus, *149*, 151 (fig.), 154 (fig.), 156 (table)
Flint, Oliver S., Jr., Notes on some Nearctic Psychomyiidae with special reference to their larvae (Trichoptera), 467–481
florens, Anatopynia, 109
fluminalis, Pentaneura, *88*, 91 (fig.)
fragilis, Pentaneura, 93
franciscana, Strongylocentrotus, 453
fraterna, Cyrnus, 469
fraternus, Cyrnellus, 468 (fig.), *469*
Nyctiophylax, 469
freemani, Procladius, *122*, 124, 125 (fig.), 126
fruticosa, Amorpha, 290
fulgens, Haliotis, 449, 450
fulva, Diamesa, *129*
fuscodorsata, Neocoelidia, *263*, 264, 280 (fig.)
Stenodoelidia, 263
Tettigonia, 263
fuscoguttatus, Epinephelus, 363
futilis, Pentaneura, 93

Gadus macrocephalus, 178
Galeichthys guatamelensis, 178
Galeus melanostomus, 5
Gammaridae, 420
Gammarus confervicolus, 423
Garrick, J. A. F., Additional information on the morphology of an embryo whale shark, 1–8
Genus A, 467, 471, 475
Genus B, 467, 471
Genus C, 469, 471, *476*, 477 (fig.)
glaber, Alebion, 377
glauca, Prionace, 137
glaucus, Squalus, 573, 579
gleditschiaecella, Periploca, 295
Gleditsia sp., 290
Gloiopotes ornatus, 377
gnaphalodes, Tournefortia, 14
goniistii, Lepeophtheirus, 378
goniodes, Pentaneura, *89*, 90, 91 (fig.)
Gonionota, *62*
bourquini, *70*, 71 (fig.), 74, 76
contrasta, *64*, 65 (fig.), 70
cristata, 81 (fig.), *82*, 84
determinata, 67, *68*, 69 (fig.), 70, 76
dissita, *67*, 70
excavata, *78*, 79 (fig.), 82
extima, 75 (fig.), *76*
fimbriata, 80, 81 (fig.), *83*
hyptiotes, *80*, 81 (fig.)
incalescens, 77, 79 (fig.)
incontigua, 70, *74*, 75 (fig.)

Gonionota—Continued
melobaphes, 61, *62*, 63 (fig.), 66, 70, 74, 76, 77
notodontella, 62
periphereia, 77, 79 (fig.)
rhacina, 80
vexillata, 61, 66, *73*
Gonionota melobaphes Walsingham, Restriction of, with descriptions of new species (Lepidoptera: Oecophoridae), Neotropical microlepidoptera, III, 61–84
"Goniota incisa," 81
Gonioterma, A new Brazilian moth of the genus, with notes on related species (Lepidoptera: Stenomidae), 381–390
Gonioterma, 381, 382, 383
aesiocopia, 383, *384*, 387 (fig.), 388 (fig.)
algosa, 383, *385*, 387 (fig.), 388 (fig.)
aphrogramma, 383
argicerauna, 383, *384*, 387 (fig.)
bryophanes, 383, *385*, 387 (fig.)
chlorina, *383*, 384, 387 (fig.), 388 (fig.)
exquisita, *382*, 383, 384, 387 (fig.), 388 (fig.)
fastigata, 383, *385*
gracilis, Betaeus, 432, 434, 437 (table), *453*, 464 (fig.), 465 (fig.), 466 (fig.)
Grainger, E. H., Asteroidea of the Blue Dolphin Expeditions to Labrador, 30–46
grisea, Pentaneura, 103
Scalypta, 341
grodhausi, Tanypus, 115 (fig.), *116*, 121
groenlandica, Leptasterias, 31, 33 (map), 35, *44*
groenlandicus, Asteracanthion, 44
guatamelensis, Galeichthys, 178
guaza, Epinephalus, 178
guianensis, Mezira, *256*
gumia, *Synploca*, 290, *295*, 320 (fig.), 322 (fig.), 325 (fig.), 329 (fig.)
gunneri, Asterias, 43
guttatus, Acanthurus, 170, 178
guttularis, Anatopynia, 109
guttulata, Hypsopsetta, 178
Gymnosporangium sp., 290

Haematomis, 48
Haliotis, 433, 450
assimilis, 450
corrugata, 450, 451
cracherodii, 450
fulgens, 449, 450
kamtchatkana, 450
rufescens, 450
sorenseni, 450
wallalensis, 450
Halirages bungei, *406*, 407 (fig.)
Haltica asphaltina, 21
occidentalis, 19
harfordi, Alpheus, 432, 447
Betaeus, 431, 432, 433, 434, 437 (table), *447*, 451, 453, 456, 457, 464 (fig.), 465 (fig.), 466 (fig.)
"harfordi, Betaeus," 458
harrimani, Betaeus, 431, 433, 434, *435*, 436 (table), 441, 444, 447, 461 (fig.), 462 (fig.), 463 (fig.)
Hart, Josephine F. L., Shrimps of the genus Betaeus on the Pacific Coast of North America with descriptions of three new species, 431–466
hastatus, Lepeophtheirus, 378
heckeli, Anuretes, 194
Heikertingerella, 27, 28
heikertingeri, Exoceras, 17 (fig.), 26
Heliotropum indicum, 18
Hemilactica *portoricensis*, 15 (fig.), *20*
Henricia eschrichti, 33 (map), 35, 40 (fig.), 42
eschrichti eschrichti, *39*
sanguinolenta, 31, 33 (map), 39, 41
scobrior, 33 (map), 36, *41*, 42 (fig.)
Hermaeophaga cupraea, 20
jamaicensis, 15 (fig.), *19*
hexacanthus, Naso, 142, 149, 164, 178, 188, 195, 202, 203, 226, 233, 356
hirtipennis, Anatopynia, 106, 109
hispaniola, Exoceras, 26
hispaniolae, Pseudoepitrix, 25, 26
Hodges, Ronald W., A review of the North American moths of the family Walshiidae (Lepidoptera: Gelechioidea), 289–330
hodgsoni, Echiniphimedia, 420
hoffmani, Exoceras, 26
Homoschema, 23
Pseudoepitrix, 25, 26
holocanthus, Diodon, 212
Homoschema hoffmani, 23
jamaicense, 23
xanthocyaneum, 15 (fig.), *22*
hottensis, Exoceras, 26
Pseudoepitrix, 25, 26
Hyas sp., 404
Hydrangea sp., 290
Hypercallia, 61, 62
citrinalis, 61
incalescens, 77
melobaphes, 62, 66, 70, 73, 74, 78
melobaphes vexillata, 73
vexillata, 73
Hyperia, 417
Hypsopsetta guttulata, 178
hyptioles, Gonionota, *80*, 81 (fig.)

imperialis, Tanypus, *112*, 115 (fig.), 120, 121
impuncticollis, Longitarsus, 14
incalescens, Gonionota, 77, 79 (fig.)
Hypercallia, 77
incisa, Goniota, 81
incontigua, Gonionota, 70, 74, 75 (fig.)
indecisa, Pentaneura, 102
indicum, Heliotropum, 18

inflata, Neocoelidia, 266
Xenocoelidia, *266*, 281 (fig.)
inornata, Aphthona, *11*, 13 (fig.)
insularis, Aphthona, *11*, 13 (fig.)
intermedius, Longitarsus, 14
Scoliodon, 615, 619, 621
invalida, Metopa, 404
inyoensis, Pentaneura, 97 (fig.), *98*, 102
Iphimedia pugettensis, 410, 413
ips, *Tozzia*, *267*, 282 (fig.)
isodon, Aprionodon, 574
Ithome, 289, 290, 292, 293, 294, 316, 317

jamaicense, Homoschema, 23
jamaicensis, Exoceras, 26
Hermaeophaga, 15 (fig.), *19*
Pseudoepitrix, 25, 26
Jassinae, 259
johnsoni, Anatopynia, 110
jordani, Scoliodon, 588, 589
Juniperus sp., 290
Jussiaea sp., 19
juvantis, Aeaea, 299, *300*, 301, 303, *304*, 305, 306, 307, 323 (fig.)

kala, Caligus, 142, 143 (fig.), 147 (fig.), 148 (table)
kalumai, Caligus, *171*, 173 (fig.), 177 (table)
kamtchatkana, Haliotis, 450
kiefferi, Podonomus, 127
knabi, Rhabdatomis, 49, *55*
Kormilev, Nicholas A., Notes on Aradidae in the U.S. National Museum, III: Subfamily Meziriinae (Hemiptera), 245–258
"Kowah, Sorra," 579, 594
Kramer, James P., A generic revision of the leafhopper subfamily Neocoelidiinae (Homoptera: Cicadellidae), 259–288
kuroshio, Caligus, 148, 149
Kyska, *391*
dalli, *392*, 393 (fig.)

Labridae, 212
labriformis, Epinephalus, 178
Labroides, 137
lactea, Stilipes, 414, 417
lacteus, Cacao, 414
Lactophrys trigonus, 178
laeta, Periploca, 290
lalandei, Carcharias (Scoliodon), 621
Rhizoprionodon, 569 (table), 570 (table), 571, 578, 590, 591, 616 (table), 617 (table), 618 (figs.), 620 (figs.), 626
Rhizoprionodon (Protozygaena), *615*
lalandii, Carcharias (Scoliodon), 615
Laminaria, 458
lamprocyanea, Aphthona, *11*, 13 (fig.)
lata, Mezira, 257
laticaudus, Carcharias (Scoliodon), 574, 577, 578, 579, 580
laticaudus, Carcharias (Scoliodon)—Con.
Scoliodon, 560, 561, 568, 569 (table), 570 (table), *574*, 576–577 (table), 578, 580 (table), 581 (figs.), 582 (figs.), 584, 594, 597, 626
latipes, Sympleustes, 408
Lattin, John D.—see Drake, Carl J.
laudamia, Crambidia, 53
Diarhabdosia, 53
Lithosia, 47, 53
Rhabdatomis, 49, 50, *53*, 54, 55, 56, 58, 60
Laverna quinquicristatella, 310
Lavernidae, 291
Leguminosae, 290
Lepeophtheirus, 138, *178*, 188, 194, 195, 378, 379
crassus, 370
dissimulatus, *178*, 180 (fig.), 183 (fig.), 186 (table)
goniistii, 378
hastatus, 378
lichiae, 379
molae, 379
spinifer, 351, 378, 379
lepida, Chinaia, 287 (fig.)
Lepidoptera, 61
lepta, Aphthona, *10*, 13 (fig.)
Leptasterias cribraria, 44
groenlandica, 31, 33 (map), 35, *44*
littoralis, 31, 32, 33 (map), 35
polaris, 31, 33 (map), *44*
Lernaeenicus sp., 137
Lernaeoceridae, 232
Lernanthropus, 226, 229, 232
chrysophrys, 232
pagelli, 232
Lespedeza sp., 290, 310, 311
Lewis, Alan G., Caligoid copepods (Crustacea) of the Hawaiian Islands: Parasitic on fishes of the family Acanthuridae, 137–244
Lewis, Alan G., The caligid copepod genus Dentigryps (Crustacea: Caligoida), 347–380
lichiae, Lepeophtheirus, 379
ligatus, Caligus, *164*, 165 (fig.), 170 (fig.), 171 (table)
lillianis, Acalypta, 331, 334, *341*, 342
lincki, Urasterias, 32, 33 (map), 34, *43*
linckii, Asteracanthion, 43
literatus, Naso, 226
Lithocolletis robinella, 315
Lithosia laudamia, 47, 53
peruviana, 54, 59
pusa, 53
Lithosiinae, 47
littoralis, Leptasterias, 31, 32, 33 (map), 35
litus, Dentigryps, *362*, 364 (fig.), 365 (fig.), 366 (table), 367 (fig.), 368, 369 (tables), 370 (tables), 371 (figs.), 372, 373, 374 (table), 375 (fig.), 376 (table), 377, 378, 379
longicervicis, Caligus, 171

longicornis, Pseudoepitrix, 25, 26
longidactylus, Alpheus, 441
Betaeus, 431, 432, 433, 434, 436 (table), *441*, 447, 462 (fig.), 463 (fig.)
longifrons, Syrrhoe, *404*, 405 (fig.)
longimanus, Carcharhinus, 2
Longitarsus, 14, 18
angusticollis, 14
atypicus, 13 (fig.), *16*
chlanidotus, 13 (fig.), *14*, 16
cylindricus, *12*, 13 (fig.), 16
impunctícollis, 14
intermedius, 14
oakleyi, 13 (fig.), *16*
oopterus, 14
subtilis, 15 (fig.), *18*
Longitarsus sp., 18
longmani, Scoliodon, 593, 594
longurio, Carcharias, 611, 615
Rhizoprionodon, 569 (table), 570 (table), 571, 590, 591, 612 (table), 613 (table), 614 (figs.)
Rhizoprionodon (Rhizoprionodon), *611*
Loxodon, 559, 560, 567, 568 (key), 578, *583*, 589
macrorhinus, 560, 568, 569 (table), 570 (table), 583, 585 (figs.), 586 (table), 587 (table), *588*
ludoviciana, Altica, 19
luteonotata, Mezira, 247 (fig.), *250*
Lype, 469, 480
lyra, Pentaneura, 93, *96*, 97 (fig.), 102
Lysianassidae, 391

macginitiecae, Betaeus, 432, 434, 437 (table), *451*, 464 (fig.), 465 (fig.), 466 (fig.)
macrocephalus, Gadus, 178
Macropelopia, subg., 104, 105 (fig.), 109
macrorhinus, Loxodon, 560, 568, 569 (table), 570 (table), 583, 585 (figs.), 586 (figs.), 587 (table), *588*
macrorhynchus, Carcharias (Scoliodon), 573, 574, 579, 583
maculipennis, Aphthona, 10
madelinae, Acalypta, 338
maldonadoi, Deltocoelidia, 265
mallochi, Pentaneura, *86*
Tanypus, 86
mandana, Diarhabdosia, 51
Rhabdatomis, 48, 49, 50, *51*
Mara confervicola, 423
marginella, Anatopynia, 104, 109
marmorata, Pentaneura, 93
mata, Acanthurus, 233
Megacoelidia, 261, *266*, 267 (key)
aurantia, 267
splendida, 266, 267
melampygus, Caronx, 351
melanostomus, Galeus, 5
melinda, Diarhabdosis, 52
Rhabdatomis, 48, 49, *52*
Melita confervicola, 423
melobaphes, Gonionota, 61, *62*, 63 (fig.), 66, 70, 74, 76, 77
Hypercallia, 62, 66, 70, 73, 74, 78
menehune, Anuretes, *195*, 197 (fig.), 201 (fig.), 202 (table)
mera, Acalypta, 340
Merluccius productus, 178
Mesometopa, 400
sinuata, *398*, 399 (fig.)
Metopa, 395, 404
cristata, *396*, 397 (fig.)
esmarki, 400
invalida, 404
pacifica, 402
stelleri, 394, 395 (fig.)
Metopella, 404
pacifica, 402
Metopelloides *dubia*, *400*, 401 (fig.)
shoemakeri, 402
mexicana, Mezira, *252*
mexico, Xiphocentron, 467
Mezira, 246, *249*
barbari, *256*
carioca, 247 (fig.), *255*, 256
championi, *251*
costalimai, 247 (fig.), *253*
eurycephala, 254
guianensis, *256*
lata, 257
luteonotata, 247 (fig.), *250*
mexicana, *252*
paralata, *257*
regularis, 256
rugiventris, *250*, 251
saltensis, 255
Mezirinae, 246, 249
Microlepidoptera, 381
microlepidoptera, Neotropical III, 61–84
Micropholis curvata, 20
militaris, Asterias, 38
Pteraster, 33 (map), *38*
minima, Diarhabdosia, 48
Eustixis, 47, 48
minuticaudae, Peniculus, 237
miripes, Anatopynia, 109
miscecolorella, Walshia, 290, 293
mniophila, Acalypta, 331, 334, *337*
modesta, Acalypta, 341
Coelana, 269, 270, 282 (fig.)
Neocoelidia, 269
mola, Mola, 379
Mola mola, 379
molae, Lepeophtheirus, 379
Mompha punctiferella, 316, 317
Momphidae, 291, 292 (key)
Monanthia, 332
monilis, Pentaneura, *86*
Pentaneura (Ablabesmyia), *86*
Tipula, 86
Monodiamesa, subsp., 129
morio, Epinephalus, 178
mülleri, Carcharias (Physodon), 573, 574
Physodon, 577, 578, 583
Mustelus canis, 566
norrisi, 3

Mycteroperca tigris, 358
venenosa, 358
venenosa apua, 178, 347, 358
Myrica cerifera, 10
Myripristis sp., 356

Naso, 149, 232
hexacanthus, 142, 149, 164, 178, 188, 195, 202, 203, 226, 233, 356
literatus, 226
unicornis, 195, 233
nebulifer, Paralabrax, 178
Nelidina, 262, *272* (key)
defila, 272, 284 (fig.)
taeniola, *272*, 287 (fig.)
Nelidina, subg., 272
Neocoelidia, 259, 261, *262*
coronata, 275
crenulata, *264*, 280 (fig.)
croceata, 275
distincta, 273
fuscodorsata, *263*, 264, 280 (fig.)
inflata, 266
modesta, 269
obscura, 273, 285 (fig.)
pulchella, 262, 279 (fig.)
rubrolineata, 274
tuberculata, 262, 278 (fig.)
tumidifrons, 262, 278 (fig.)
verecunda, *264*
virgata, 262, 279 (fig.)
Neocoelidiana, 262, 271, 273
antleri, 271
obscura, 273
Neocoelidiinae, 259, *260*, 261 (key)
Neocoelidiinae (Homoptera: Cicadellidae), A generic revision of the leafhopper subfamily, 259–288
Neopleustes derzhavini, 413
Neoploca, 293, *294*
corusca, *294*, 320 (fig.), 321 (fig.), 325 (fig.), 329 (fig.)
neopunctipennis, Tanypus, 113, *118*, 119 (fig.), 121
nephophylus, Nyctiophylax, 471, 472, *474*, 475 (fig.)
Nepotula, 293, *296*, 319 (fig.)
secura, *296*, 319 (fig.), 321 (fig.), 329 (fig.)
Nesaecrepida, *21*
asphaltina, 15 (fig.), 21, 22
rufomarginata, 15 (fig.), *22*
Nesippus, *211*
costatus, *211*, 214 (fig.), 217 (fig.), 222 (fig.), 224 (table)
Neureclipsis, 469
nigra, Periploca, 290
nigroris, Acanthurus, 211
Nilotanypus, 103
nimbosa, Sorhagenia, 290, 312, *313*, 314, 321 (fig.), 326 (fig.), 329 (fig.)
nimbosus, Cystioecetes, 312, 313
nivorunda, Diamesa, *130*
nivorundus, Chironomus, 130
nomada, Psychomyia, *478*, 479 (fig.)
Psychomyiella, 478
norena, Pentaneura, 93
Norion, *225*
expansus, 137, 225, *226*, 228 (fig.), 230 (fig.)
norrisi, Mustelus, 3
notodontella, Gonionota, 62
nubila, Stilbosis, 309, *311*, 322 (fig.), 325 (fig.)
nugax, Anonyx, 392
nyctalis, Acalypta, 331, 334, *339*
Nyctiophylax, 467, 468, 470, *471* (key), 476, 479
flavus, 471
fraternus, 469
nephophilus, 471, 472, *474*, 475 (fig.)
species A, *475* (fig.)
uncus, 475
vestitus, 467, 471, *472*, 473 (fig.), 474

oakleyi, Longitarsus, 13 (fig.), *16*
Obithome, 291, 292, 293, *316*, 319 (fig.)
punctiferella, 290, *317*, 319 (fig.), 320 (fig.), 321 (fig.), 325 (fig.), 329 (fig.)
obscura, Neocoelidia, 273, 285 (fig.)
Neocoelidiana, 273
occidentalis, Altica, 15 (fig.), *19*
Haltica, 19
Oecophoridae, 61, 290, 291
okoboji, Pentaneura, 90
oleracea, Altica, 19
oligolinx, Rhizoprionodon, 560, 569 (table), 570 (table), 571, 578, 580, 590, 591, 619, 622 (table), 623 (table), 624 (figs.), 625 (figs.), 626, 627, 630
Rhizoprionodon (Protozygzena), *621*
olivaceous, Acanthurus, 178, 179, 203, 233, 356
oopterus, Longitarsus, 14
Orectolobidae, 4
ornata, Pentaneura, 93
ornatus, Gloiopotes, 377
Oroessa, 249
Orthocladiinae, 85
Orthosteira, 332
Orthostira [sic], 332
thomsoni, 338
Ostrya virginiana, 290, 302
ostryaecella, Aeaea, 297, 298, 299, 300, *302*, 304, 305, 319 (fig.), 320 (fig.), 322 (fig.), 326 (fig.)
Chrysopeleia, 302
ovata, Acalypta, 335, 341
Drakella, 335
Fenestrella, 335
[ovata], Drakella, 335
oviceps, Caligus, 156, 177, 178
oxyrhynchus, Carcharhinus, 574

Pachycheles rudis, 458
pacifica, Metopa, 402
Metopella, 402
Proboloides, *402*, 403 (fig.)
pagelli, Lernanthropus, 232

"Pala Sorra," 574, 579
palasorra, Carcharias, 574, 579, 580
Carcharius (?), 580
Scoliodon, 580, 626
pallidus (?), Cyrnus, 471, 475
pallidus, Cyrnus, 476
Pandaridae, 211
Pandarus satyrus, 137
smithii, 137
Pandarus sp., 137
papposa, Asterias, 38
papposus, Solaster, 31, 33 (map), 35, *38*
Paracoelidea, 259, 262, 263
tuberculata, 262
Paralabrax nebulifer, 178
paralata, Mezira, *257*
Paralichthys californicus, 178
Paramphithoe bairdi, 413
Paramphithoidae, 417
Parapleustes pugettensis, *410*, 412 (fig.)
parastellatus, Tanypus, *113*, 115 (fig.), 121
particornella, Walshia, 292, 293
pectinata, Cribrella, 39, 40, 41
peleensis, Tanypus, 87
Pentaneura, *87*
Peniculus, *232*
calamus, 137, *233*, 235 (fig.)
minuticaudae, 237
Pentaneura, 89, 90 ,93, 102, 103
alba, 89
americana, 89
apicalis, 93
barberi, *90*, 91 (fig.), 93
(Pentaneura) barberi, *90*, 91 (fig.)
bifasciata, 93
brooksi, 102
carnea, 88, 89, 93
chrysos, *70*, 91 (fig.)
(Pentaneura) *chrysos*, *70*, 91 (fig.)
comosa, *95*, 97 (fig.), 102
(Pentaneura) *comosa*, *93*, 97 (fig.), 102
fimbriata, 102
flaveola, 102
flavifrons, 89
fluminalis, *88*, 91 (fig.)
(Pentaneura) *fluminalis*, *88*, 91 (fig.)
fragilis, 93
futilis, 93
goniodes, *89*, 90, 91 (fig.)
(Pentaneura) *goniodes*, *89*, 91 (fig.)
grisea, 103
(Pentaneura) Group E, 102 (key)
indecisa, 102
inyoensis, 97 (fig.), *98*, 102
(Pentaneura) *inyoensis*, 97 (fig.), *98*
lyra, 94, *96*, 97 (fig.), 102
(Pentaneura) *lyra*, *96*, 97 (fig.), 102
mallochi, *86*
(Ablabesmyia) mallochi, *86*
marmorata, 93
monilis, *86*
(Ablabesmyia) monilis, *86*
norena, 93
Pentaneura—Continued
okoboji, 90
ornata, 93
peleensis, *87*
(Ablabesmyia) peleensis, *87*
pilosella, 97 (fig.), *100*, 102
(Pentaneura) pilosella, 97 (fig.), *100*
planensis, 102
pulchripennis, 93
rurika, 89
sequoiaensis, 97 (fig.), *99*, 102
(Pentaneura) *sequoiaensis*, 97 (fig.), *99*, 102
sinuosa, 93
smithae, 97 (fig.), *100*, 102
(Pentaneura) *smithae*, 97 (fig.), *100*, 102
thryptica, *95*, 97 (fig.), 102
(Pentaneura) *thryptica*, *95*, 97 (fig.), 102
vitellina, 89, 90
Pentaneura, subg., 70, 88, 89, *90*, 91 (fig.), 93, 95, 96, 97 (fig.), 98, 99, 100, 102 (key), 103
Perimede, 289, 292, 293
erransella, 290
periphereia, Gonionota, *77*, 79 (fig.)
Periploca, 289, 290, 291, 292, 293, 294
caenothiella, 295
gleditschiaeella, 295
laeta, 290
nigra, 290
persimilis, Boreochlus, *127*, 131 (fig.)
Trichotanypus, 127
pertinax, Pseudodiamesa, 129
peruviana, Lithosia, 54, 59
Rhabdatomis, 49, 58, *59*
petimba, Fistularia, 356
Phalaena tortrix christiernana, 61
Phyllospadix sp., 458
Phylocentropus, 469
Physodon mülleri, 577, 578, 583
taylori, 590, 627
Physodon, subg., 573, 574, 578
pilosella, Pentaneura, 97 (fig.), *100*, 102
pilosellus, Tanypus, 100
Pinus, 260
Placogenis, *246*
brachyptera, 245, *246*
Plagiostoma, 579
planensis, Pentaneura, 102
Pleuronichthys coenosus, 440
Pleustidae, 408
plicipennis, Chaetocnema, 23
Podonom¹nae, 85, 127
Podonomus arietinus, 127
kiefferi, 127
Podonomus sp., *127*
polaris, Asteracanthion, 44
Leptasterias, 31, 33 (map), *44*
polutima, *Sidfava*, 17 (fig.), *27*, 29
Polycentropodinae, 469
Polycentropus, 469, 470, 478
cinereus, *478*, 479 (fig.)
vestitus, 472

Polygonaceae, 290
polytomus, Procladius, 122
Pomacentridae, 212
Poraniomorpha tumida, 32, 33 (map), 34, *36*
porosus, Carcharhinus, 560
Rhizoprionodon, 569 (table), 570 (table), 571, 590, 591, 597, 603, 604, 605 (table), 608 (table), 609 (figs.), 610 (figs.), 619
Rhizoprionodon (Rhizoprionodon), *606*
Squalus, 606
portoricensis, Hemilactica, 15 (fig.), *20*
praetextus, Caligus, 171
Prionace glauca, 137
Proboloides, 404
pacifica, *402*, 403 (fig.)
Prochola, 292
Procladius albitalus, 122
barbatulus, 119 (fig.), *121*
bellus, *126*
choreus, 122, 134
culiciformis, 122, 123, 124, 126, 131 (fig.), *134*
denticulatus, 123, *124*, 125 (fig.)
freemani, *122*, 124, 125 (fig.), 126
polytomus, 122
sagittalis, 122
Prodiamesa bathyphilia, 129
(Monodiamesa) bathyphilia, 129
Prodiamesa sp., *129*
Prodiamesa (Monodiamesa) sp., *129*
productus, Merluccius, 178
Protenthes punctipennis, 110, 118
Protozygaena, 590
Protozygaena, subg., *590*, 615, 619, 621, 627
Psectrotanypus, subg., 105 (fig.), 106, 107, 108, 109
pseudo-acacia, Robinia, 290, 315
Pseudodiamesa branicki, *128*, 129
(Pseudodiamesa) branicki, *128*
diastena, *128*, 131 (fig.)
(Pseudodiamesa) *diastena*, *128*, 131 (fig.)
pertinax, 129
Pseudodiamesa, subg., 128, 131 (fig.)
Pseudoepitrix, 9, 24, 25, 26
brasiliensis, 17 (fig.), *24*
hispaniolae, 25, 26
hoffmani, 25, 26
hottensis, 25, 26
jamaicensis, 25, 26
longicornis, 25, 26
punctatissima, 25, 26
rugosa, 17 (fig.), *24*
suffriani, 25, 26
tetraspilota, 25, 26
trinitatis, 25, 26
Psychomyiidae, 467, *469* (key)
Psychomyiidae, Notes on some Nearctic, with special reference to their larvae (Trichoptera), 467–481
Psychomiinae, 469
Psychomyia, 469, *478* (key)
flavida, 478, *479* (fig.)
nomada, *478*, 479 (fig.)
Psychomyiella nomada, 478
Pteraster militaris, 33 (map), *38*
pulvillus, 33 (map), 36, *39*
Pterygophora californica, 458
pueblae, Diarhabdosia, 53
Rhabdatomis, 48, *53*
pugettensis, Iphimedia, 410, 413
Parapleustes, *410*, 412 (fig.)
Upogebia, 440, 447
pulchella, Neocoelidia, 262, 279 (fig.)
pulchripennis, Pentaneura, 93
pulvillus, Pteraster, 33 (map), 36, *39*
punctatissima, Exoceras, 26
Pseudoepitrix, 25, 26
Sidfaya, 17 (fig.), *28*
punctatus, Caligus, 177, 178
punctiferella, Mompha, 316, 317
Obithome, 290, *317*, 319 (fig.), 320 (fig.), 321 (fig.), 325 (fig.), 329 (fig.)
punctipennis, Protenthes, 110, 118
Tanypus, 111, 112, 118, 131 (fig.), *132*
purpuratus, Strongylocentrotus, 453
purpuriella, Aeaea, 315
Chrysopeleia, 290, 314, *315*, 319 (fig.), 320 (fig.), 326 (fig.), 329 (fig.)
purshiana, Rhamnus, 313
pusa, Crambidia, 59
Lithosia, 53
Rhabdatomis, 48, 49, 50, 58, *59*

quadratus, Caligus, 171
quadricristatella, Aeaea, 303
Amaurogramma, 303
Chrysopeleia, 303
quadricustatella, Aeaea, 298, 299, 300, *303*, 328 (fig.)
quadridens, Sympleustes, 410
quadrimaculatus, Chaetodon, 178
Quercus stellata, 305
Quercus sp., 290
quinque-cristatella, Stilbosis, 310
quinquicristatella, Laverna, 310

randalli, Caligus, *156*, 159 (fig.), 162 (fig.), 163 (table)
regularis, Mexira, 256
renalis, Anuretes, 188
Rhabdatomis, 47, *48* (key), 58
cora, 48, 49, 50, 51, *56*
cora cora, 57
cora coroides, *57*
dognini, 48, 49, *50*, 53
draudti, 49, *54*, 55, 58
extensa, 49, *56*, 59
fasseli, 49, *58*, 59, 60
knabi, 49, *55*
laudamia, 49, 50, *53*, 54, 55, 56, 58, 60
mandana, 48, 49, 50, *51*
melinda, 48, 49, *52*

Rhabdatomis—Continued
peruviana, 49, 58, *59*
pueblae, 48, *53*
pusa, 48, 49, 50, 58, *59*
saba, 47, 48, 49, *50*
Rhabdatomis Dyar (Arctiidae: Lithosiinae), Moths of the genus, 47–60
rhacina, Gonionota, 80
rhamniella, Elachista, 312
Sorhagenia, 290, 291, 312, 319 (fig.), 320 (fig.)
Rhamnus californicus, 313
purshiana, 313
Rhamnus sp., 290, 312, 313
Rhincodon typus, 1
Rhizoprion, 590
Rhizoprionodon, 559, 560, 567, 568 (key), 571, 572 (fig.), 578, 580, 584, 588, *590*, 591 (table), 604, 608
acutus, 569 (table), 570 (table), 571, 580, 590, 591 (table), 592 (table), 595 (figs.), 599 (figs.), 604, 619
(Rhizoprionodon) acutus, *594*
lalandei, 569 (table), 570 (table), 571, 578, 590, 591, 616 (table), 617 (table), 618 (figs.), 620 (figs.), 626
(Protozygaena), lalandei, *615*
longurio, 569 (table), 570 (table), 571, 590, 591, 612 (table), 613 (table), 614 (figs.)
(Rhizoprionodon) longurio, *611*
oligolinx, 560, 569 (table), 570 (table), 571, 578, 580, 590, 591, 619, 622 (table), 623 (table), 624 (figs.), 625 (figs.), 626, 627, 630
(Protozygaena) *oligolinx*, *621*
porosus, 569 (table), 570 (table), 571, 590, 591, 597, 603, 604, 605 (table), 608 (table), 609 (fig.), 610 (figs.), 619
(Rhizoprionodon) porosus, *606*
taylori, 560, 561, 569 (table), 570 (table), 571, 578, 590, 591, 619, 626, 628 (table), 629 (fig.)
(Protozygaena) taylori, *627*
terraenovae, 561, 569 (table), 570 (table), 571, 590, 591, 597, 602 (table), 603, 604, 605 (table), 606, 607 (table), 608
(Rhizoprionodon) terraenovae, *601*
Rhizoprionodon, subg., *590*, 594, 597, 601, 606, 611, 615
Rhus, 260
Rhynchosia tomentosa, 290, 306
rhynchosiae, Aeaea, 297, 298, 299, 300, *305*, 324 (fig.), 326 (fig.)
risor, Aeaea, 299, 300, *304*, 307, 324 (fig.)
robinella, Lithocolletis, 315
Robinia pseudo-acacia, 290, 315
Robinia sp., 290
robusta, Santaremia, 249
rubrolineata, Corelidiana, 275, 286 (fig.)
Neocoelidia, 274
rudis, Pachycheles, 458
rufescens, Haliotis, 450
rufomarginata, *Nesaecrepida*, 15 (fig.), *22*
rugiventris, Brachyrhynchus, 250
Mexira, *250*, 251
rugosa, Pseudoepitrix, 17 (fig.), *24*
rurika, Pentaneura, 89

sagana, Aeaea, 299, 300, *305*, 324 (fig.)
sagittalis, Procladius, 122
Sagum, 226, 232
angulatum, 232
saileri, Cinyphus, *246*, 247 (fig.)
saltensis, Mexira, 255
Salvina, 259, 261, *270*
Salvina dorsisignata, 271, 283 (fig.)
sandvicensis, Acanthurus triostegus, 137, 149, 156, 164, 178, 179, 203, 211, 212, 233, 356
sanguineus, Cacao, 414
Stilipes, 414, 417
sanguinolenta, Henricia, 31, 33 (map), 39, 41
Santaremia, *249*
robusta, 249
satyrus, Pandarus, 137
saundersi, Acalypta, 334, *335*, 336, 337
Drakella, 335
sauteri, Acalypta, 336, 337
scabrior, Cribrella sanguinolenta, 41
Scaeosophidae, 291
scalprum, Xesurus, 188
Scarus sp., 212
schmitti, Anisogammarus, *420*, 421 (fig.)
scobrior, Henricia, 33 (map), 36, *41*, 42 (fig.)
Scoliodon, 559, 560, 568 (key), *573*, 584, 617, 623
affinis, 588, 589
ceylonensis, 588, 589
intermedius, 615, 619, 621
jordani, 588, 589
laticaudus, 560, 561, 568, 569 (table), 570 (table), *574*, 576–577 (table), 578, 580 (table), 581 (fig.), 582 (fig.), 584, 594, 597, 626
longmani, 593, 594
palasorra, 580, 626
sorrakowa, 578, 579, 593, 597, 598, 600
terraenovae, 606
vagatus, 593, 594, 598
walbeehmi, 598
"Scoliodon" sp., 584
Scoliodon, subg., 573, 574, 577, 578, 579, 580, 583, 588, 590, 594, 615, 621
Scyliorhinus canicula, 5
stellaris, 5
secura, *Nepotula*, *296*, 321 (fig.), 329 (fig.)
semnostola, Cholotis, 291, 292
sequoiaensis, Pentaneura, 97 (fig.), *99*, 102
serratus, Anuretes, *188*, 190 (fig.), 193 (fig.), 194 (table), 199, 202

setosus, Betaeus, 432, 434, 437 (table), *455*, 464 (fig.), 465 (fig.), 466 (fig.)
Shoemaker, Clarence R., Seven new amphipods from the west coast of North America with notes on some unusual species, 391
shoemakeri, Metopelloides, 402
Sidfaya, *26*
polutima, 17 (fig.), *27*, 29
punctatissima, 17 (fig.), *28*
sinuata, Mesometopa, *398*, 399 (fig.)
sinuosa, Pentaneura, 93
smithae, Pentaneura, 97 (fig.), *100*, 102
smithii, Pandarus, 137
Solaster endeca, 31, 32, 33 (map)
papposus, 31, 33 (map), 35, *38*
tumida, 36
Somateria voniger, 402
sorenseni, Haliotis, 450
Sorhagenia, 293, *312* (key)
daedala, 313, *314*, 321 (fig.), 326 (fig.)
nimbosa, 290, 312, *313*, 314, 321 (fig.), 326 (fig.), 329 (fig.)
rhamniella, 290, 291, 312, 319 (fig.), 320 (fig.)
"Sorra, Pala," 574, 579
"Sorra Kowah," 579, 594
sorrah kowah, Carcharius (?), 580
sorrakowa, Scoliodon, 578, 579, 593, 597, 598, 600
sorrakowah, Carcharias, 579, 580, 594
Sphaeralcea, 260
Sphaeroides annulatus, 178
Sphyraena argentea, 178
sphyraenae, Caligus, 171
Sphyrnidae, 560
spinifer, Lepeophtheirus, 351, 378, 379
splendida, Megacoelidia, 266, 267
Springer, Victor G., A revision of the carcharhinid shark genera Scoliodon, Loxodon, and Rhizoprionodon, 559–632
squalidus, Cinyphus, 249
Squalus acanthias, 566
glaucus, 573, 579
porosus, 606
(Carcharias) terraenovae, 601
Stagmatophora ceanothiella, 292
stellans, Aeaea, 300
stellaris, Scyliorhinus, 5
stellata, Quercus, 305
stellatus, Tanypus, *114*, 115 (fig.), 121
stelleri, Metopa, 394, 395 (fig.)
stellionura, Asterias, 43
Stenocoelidia, 262, 263
clara, 263
fuscodorsata, 263
verecunda, 264
virgata, 262
Stenoma, 381
aesiocopia, 384
algosa, 385
aphrogramma, 384
argicerauna, 384
Stenoma—Continued
bryophanes, 385
chlorina, 383
fastigata, 385
Stenopleustes, 408
Stenothoidae, *394*
Stephanasterias albula, 33 (map), *43*
Stichaster albilus, 43
Stilbosis, 293, *308*, 309 (key)
nubila, 309, *311*, 322 (fig.), 325 (fig.)
quinque-cristatella, 310
tesquatella, 310
tesquella, 290, 291, 293, *309*, 310, 312, 319 (fig.), 320 (fig.), 321 (fig.), 325 (fig.), 329 (fig.)
Stilipedidae, 414
Stilipes, 414
distincta, *414*, 415 (fig.)
lactea, 414, 417
sanguineus, 414, 417
stipator, Aeaea, 293, 298, 299, 300, 303, 323 (fig.), 326 (fig.)
Strigocoris, 249
strigosus, Ctenochaetus, 212, 233
Strongylocentrotus franciscana, 453
purpuratus, 453
Sublette, James E., Chironomid midges of California, II: Tanypodinae, Podonominae, and Diamesinae, 85–136
submarginella, Anatopynia, *103*, 105 (fig.), 109
subtilis, Longitarsus, 15 (fig.), *18*
suffriani, Exoceras, 17 (fig.), 26
Pseudoepitrix, 25, 26
"Sympleustes," 410
Sympleustes *cornigera*, *408*, 409 (fig.)
latipes, 408
quadridens, 410
Synploca, 294, *295*
gumia, 290, *295*, 320 (fig.), 322 (fig.), 325 (fig.), 329 (fig.)
Syrrhoe crenulata, 404, 405
longifrons, *404*, 405 (fig.)
Systena basalis, 15 (fig.), *18*

taeniola, Nelidina, *272*, 287 (fig.)
Talara, 48
Tanypodinae, 85, 86
Tanypus, 112, *120* (key)
barberi, 90
bellus, 126
carinatus, 105 (fig.), *110*, 121
choreus, 134
dyari, 106
grodhausi, 115 (fig.), *116*, 121
imperialis, *112*, 115 (fig.), 120, 121
mallochi, 86
neopunctipennis, 113, *118*, 119 (fig.), 121
parastellatus, *113*, 115 (fig.), 121
peleensis, 87
pilosellus, 100
punctipennis, 111, 112, 118, 131 (fig.), *132*

Tanypus—Continued
stellatus, *114*, 115 (fig.), 121
venustus, 108
Taxodium sp., 290
taylori, Physodon, 590, 627
Rhizoprionodon, 560, 561, 569 (table), 570 (table), 571, 578, 590, 591, 619, 626, 628 (table), 629 (figs.)
Rhizoprionodon (Protozygaena), *627*
temmincki, Carcharhinus, 574
tenerum, Adiantum, 26
terraenovae, Rhizoprionodon, 561, 569 (table), 570 (table), 571, 590, 591, 597, 602 (table), 603, 604, 605 (table), 606, 607 (table), 608
Rhizoprionodon (Rhizoprionodon), *601*
Scoliodon, 606
Squalus (Carcharia), 601
tesquatella, Stilbosis, 312
tesquella, Stilbosis, 290, 291, 293, *309*, 310, 312, 319 (fig.), 320 (fig.), 321 (fig.), 325 (fig.), 329 (fig.)
tetraspilota, Exoceras, 26
Pseudoepitrix, 25, 26
Tettigonia dorsisignata, 270
fuscodorsata, 263
verecunda, 264
Thienemannimyia, 88, 90, *93*, 103
thomsoni, Orthostira, 338
thomsonii, Acalypta, 331, 334, *338*
thryptica, Pentaneura, *95*, 97 (fig.), 102
Tichocoelidia, 261, *270*
clarkei, 270
tigris, Mycteroperca, 358
Tineidae, 290
Tingis carinata, 332
Tinodes, 469, *479* (fig.), *480*
Tipula culiciformis, 134
monilis, 86
Tironidae, 404, 414
tomentosa, Rhynchosia, 290, 306
Tournefortia gnaphalodes, 14
Tozzita, 261, *267*
ips, *267*, 282 (fig.)
Trichotanypus persimilis, 127
trigonus, Lactophrys, 178
trinitatis, Pseudoepitrix, 25, 26
truncatus, Betaeus, 435
tuberculata, Asterina tumida, 36, 37, 38
Neocoelidia, 262, 278 (fig.)
Paracoelidea, 262
Tucca, 231
tumida, Poraniomorpha, 32, 33 (map), 34, *36*
Solaster, 36
tumidifrons, Neocoelidia, 262, 278 (fig.)
Typhlocybinae, 260
typus, Rhinodon, 1

Ulmus sp., 290
ulua, Dentigryps, *351*, 352 (table), 353 (fig.), 354 (fig.), 355 (fig.), 366, 368, 369, 370 (tables), 371 (figs.), 372, 373, 374 (table), 375 (fig.), 376 (table), 377, 378, 379
uncus, Nyctiophylax, 475
undata, Corelidiana, 275
unicornis, Naso, 195, 233
unipuncta, Acocoelidia, 274
Corelidiana, 275, 286 (fig.)
Upogebia, 440, 444, 447
pugettensis, 440, 447
Urasterias lincki, 32, 33 (map), 34, *43*
Ushakoviella echinophora, *417*, 419 (fig.)

vagatus, Scoliodon, 593, 594, 598
vanduzeei, Acalypta, 335, *342*
vandykei, Acalypta, 335, 343
venatrix, Aeaea, 299, 300, *301*, 323 (fig.)
venenosa, Mycteroperca, 358
venifica, Aeaea, 298, 299, 300, *301*, 323 (fig.)
venosa, Coelella, 274
venusta, Anatopynia, *108*, 109
venustus, Tanypus, 108
verecunda, Neocoelidia, *264*
Stenocoelidia, 264
Tettigonia, 264
vestitus, Nyctiophylax, 467, 471, *472*, 473 (fig.), 474
Polycentropus, 473
vexillata, Coptotelia, 73
Gonionota, 61, 66, *73*
Hypercallia, 73
Hypercallia melobaphes, 73
victor, Aeaea, 298, 299, 300, *304*, 322 (fig.), 327 (fig.)
virgata, Neocoelidia, 262, 279 (fig.)
Stenocoelidia, 262
virginiana, Ostrya, 290, 302
viridescens, Balistoides, 363
vitellina, Pentaneura, 89, 90
voniger, Somateria, 402
vulgaris, Asterias, 31, 35

walbeehmi, Carcharias (Scoliodon), 594, 600
Scoliodon, 598
wallalensis, Haliotis, 450
Walshia, 289, 292, 293, 296
amorphella, 290
miscecolorella, 290, 293
particornella, 292, 293
Walshiidae, 289, 291, 292 (key), 293 (key), 329 (figs.)
Walshiidae (Lepidoptera: Gelechioidea), A review of the North American moths of the family, 289–330
waltli, Diamesa, 130
whale shark, Additional information on the morphology of an embryo, 1–8

xanthocyaneum, Homoschema, 15 (fig.), *22*
xanthopterus, Acanthurus, 211
Xenococelidia, 261, *265*, 266 (key)
  colombiana, 266
  inflata, *266*, 281 (fig.)
  youngi, 266, 281 (fig.)
Xesurus scalprum, 188
Xiphocentron, 469
  mexico, 467
Xiqilliba, 261, *268*
  bellator, *268*, 283 (fig.)

youngi, Xenococelidia, 265, 281 (fig.)

zaba, Rhabdatomis, 47, 48, 49, *50*
Zanclidae, 212
Zebrasoma flavescens, 178, 179
Ziziphinus aotutus, 37

Index for pages 483–558

The Jambelí Culture of South Coastal Ecuador
Emilio Estrada, Betty J. Meggers, and Clifford Evans

Adornos, from Jambelí Incised, 523 (figs.)
Agriculture, lack of, 540
American Philosophical Society, grant from, 484
Amulets, anthropomorphic, 494, 495 (figs.), 496 (figs.)
Anomalocardia subimbricata, 489
Appendix, 548–558
Archeological complexes, geographical distribution of, 543 (map)
Artifacts, 491, 539, 544
  pottery, 502–507
  shell, 491, 492 (figs.), 493 (figs.), 494 (figs.), 495 (figs.), 496 (figs.), 497
  stone, 497–502
Atacames, 542 (chart)
Atlatl hook, 493, 495 (fig.), 497, 540
Ax money, copper, 544, 545
Azuay, 543 (map)

Bahía area, 544
Bahía culture, 506, 540 (table), 542 (chart), 543 (map), 544
Bahía Phase, 507
Bark beater, stone, 489, 497, 539, 540, 544
Bark beaters, frequency of, 558 (table)
Basalt, 501
Base form, annular, 511, 515 (fig.)
  annular pedestal, 515 (fig.)
  hollow polypod, 515 (fig.)
  rounded or slightly flattened, 511
  solid polypod, 515 (fig.)
Base forms, 511–515 (figs.), 558 (table)
  frequency of, 558 (table)
Bead blanks, 493, 494 (fig.)
Beads, 493, 494 (figs.), 506
  partly red or orange, 493
  pottery, 506
  shell, 502, 506
  stone, 501 (figs.)
  white, 493
Bird ornament, 495 (fig.), 496–497
Body flanges, 517 (figs.)
Body forms, 507, 508–509 (figs.), 512 (figs.), 513 (figs.), 514 (figs.)
Bolívar, 543 (map)
Burial site (Site P–4), 490
Bushnell, G. H. S., 493, 506, 541, 546

Campo Alegro No. 1 (P–2), 491
Campo Alegro on Puná Island, 489
Canal de Jambelí, 485 (map), 487 (map)
Canal del Morro, 484, 485 (map), 486 (map)
Cangrejito, Logarto Salitre (G–L–30), 491, 497
Carbon-14 dates, 540, 544
Cattle ranches, abandonment of, 484
Cerro Morro, 486 (map)
Chirije, 542 (chart)
Chivería (O–3), 506, 507
Chorrera Period, 542 (chart)
Christian Era, 485
Chronological position and affiliations, 540–546
Chronological sequence on Ecuadorian coast, 542 (chart)
Clams, 489
Clay, hard lumpy, 490
  sterile black, 490
  sticky, 490
Cobblestone, gneiss, 497
  quartzite, 497
Conch shell, carved, 493 (figs.)
Conglomerate, coarse-grained, 497
  fine, 501
Cotopaxi, 543 (map)
Culture complexes, tabulation, 540
Cut 1, 490, 497, 500, 501, 506, 538 (fold-in fig.), 551 (table), 552 (table)

Daule culture, 542 (chart), 543 (map)
Disks, pottery, 507

Earplugs, 506, 507 (fig.)
Ecuador, southern coast, 485 (map)
Ecuadorian coast, 491, 540, 541, 544
El Morro, Ecuador, 483, 489
El Morro Salitre, Guayas Province, 491 (list)
El Oro coast, 489, 542 (chart)
El Oro Province, 484, 485, 488 (map), 489, 543 (map)
El Oro Province Sites, 490 (list), 539
Embarcadero (O–5), 490, 497
Esmeraldas subdivision, 542 (chart), 543 (map)
Estero Chiveria No. 1 (O–3), 490
Estero Chiveria No. 2 (O–4), 490
Estero del Morro, 486 (map)
Estero Embarcadero, 490
Estrada, Emilio, 483, 484, 489, 490, 491, 506, 541, 544, 546

748–138—65——3

Estrada, Emilio, Betty J. Meggers, and Clifford Evans, The Jambelí Culture of South Coastal Ecuador, 483
Estrada, Emilio, Meggers, Betty, and Evans, Clifford, explorations by, 483, 537
Evans, Clifford, and Meggers, Betty J., 544
Evans, Clifford, Meggers, Betty, and Estrada, Emilio, 507

Figurine, anthropomorphic, 502
Figurine arm, pottery, 490
Figurine fragments, 539
Figurine head, 506, 507 (fig.), 544
Figurines, 491, 502, 503 (figs.), 504 (figs.), 505 (fig.), 506 (figs.), 507 (figs.), 540
  frequency of, 558 (table)
  imported, 505, 506 (figs.)
  La Plata Sentado, 506
  pottery, 491, 502, 503 (figs.), 504 (figs.), 505 (figs.), 506 (figs.), 507 (figs.), 540, 541, 544
Fishbones, 490
Formative Period, 538, 540, 542 (chart)

Gabbro, gray-green, 497
Garbanzal, Peru, 524, 544, 545
Geographical distribution and site characteristics, 484
Geological Subdivisions, 542 (chart)
Guangala culture, 493, 540 (table), 541, 542 (chart), 543 (map), 544, 546
Guangala Phase, 493, 506 (figs.), 537, 546, 548 (table), 549 (table), 550 (table), 551 (table), 552 (table), 553 (table)
Guangala Sites, 541, 544
Guayaquil, 483, 485 (map)
Guayas coast, 542 (chart)
  northern, 541
  southern, 486 (map), 487
Guayas mainland, 489
Guayas Province, 484, 489, 491 (list), 537, 543 (map)
Gulf of Guayaquil, 484, 485 (map), 538, 541, 543 (map), 546

Hammerstones, quartzite, 497, 498, 499 (figs.), 500 (figs.)
Headdress, helmet, 506, 507 (fig.)
Helmet headdress, 506, 507 (fig.)
Hill, Judith, typist, 484
Human skeletal remains, 490
  lacking, 490

Institute of Andean Research, Project J, 484
Integration Period, 542 (chart), 544, 546
Ishida, Fiichiro, and others, 544, 545

Jama-Coaque culture, 542 (chart), 543 (map)
Jambelí culture, 484, 487, 489, 490, 491, 502, 507, 538, 539, 540 (table), 541, 542 (chart), 543 (map), 544, 545
Jambelí Culture of South Coastal Ecuador, The, 483, 543 (map)
Jambelí Islands, 483, 485 (map)
Jambelí Phase examples, 492 (fig.), 500 (figs.), 503 (figs.), 504 (figs.), 505 (figs.), 506 (figs.), 508–509 (figs.)
Jambelí Phase Sites, 483, 484, 485 (map), 486 (map), 487 (map), 488 (map), 489, 490 (list), 537, 538 (fold-in fig.), 539, 540, 544, 553 (table), 558 (table)
Jambelí Sites, group A (with pottery), 490 (list), 491 (list)
Jambelí Sites, group B (without pottery), 490, 491 (list)
Jars, globular, 544
Jerónimo (P–13), 491

Knife or saw, sandstone, 497

La Libertad, 493
La Manguita (G–86), 489, 491
La Plata Sentado figurines, 506, 544
Lagarto, Ecuador, 483
Lagarto *salitre* (Guayas Province), 486 (map), 489, 491 (list)
Las Huacas (O–6), 486, 490, 492, 493, 494, 496, 497, 502
Level, surface, 549 (table), 550 (table), 551 (table), 553 (table)
Level O–10, 538 (fold-in fig.), 539 (fold-in fig.), 548 (table), 553 (table), 554 (table), 556 (table), 558 (table)
Level O–20, 501, 538 (fold-in fig.), 539 (fold-in fig.), 548 (table), 551 (table), 554 (table), 555 (table), 556 (table), 557 (table), 558 (table)
Level 10–20, 538 (fold-in fig.), 539 (fold-in fig.), 548 (table), 553 (table), 554 (table), 556 (table), 558 (table)
Level 20–30, 506, 538 (fold-in fig.), 539 (fold-in fig.), 548 (table), 553 (table), 554 (table), 556 (table), 558 (table)
Level 20–40, 490, 538 (fold-in fig.), 539 (fold-in fig.), 548 (table), 551 (table), 554 (table), 555 (table), 556 (table), 557 (table), 558 (table)
Level 30–40, 538 (fold-in fig.), 539 (fold-in fig.), 548 (table), 553 (table), 554 (table), 556 (table), 558 (table)
Level 40–60, 490, 538 (fold-in fig.), 539 (fold-in fig.), 548 (table), 551 (table), 554 (table), 555 (table), 556 (table), 557 (table), 558 (table)

Level 60–80, 489, 497, 538 (fold-in fig.), 539 (fold-in fig.), 548 (table), 552 (table), 555 (table), 557 (table), 558 (table)
Level 80–100, 489, 500, 501, 538 (fold-in fig.), 539 (fold-in fig.), 549 (table), 555 (table), 557 (table), 558 (table)
Level 100–120, 538 (fold-in fig.), 539 (fold-in fig.), 549 (table), 553 (table), 555 (table), 557 (table), 558 (table)
Level 120–140, 490, 497, 538 (fold-in fig.), 539 (fold-in fig.), 549 (table), 555 (table), 557 (table), 558 (table)
Level 140–160, 538 (fold-in fig.), 539 (fold-in fig.), 549 (table), 555 (table), 557 (table)
Lewis, George Robert, drawings by, 484
Literature cited, 547
Los Chalacos (P–12), 491
Los Rios, 543 (map)

Machala, 485 (map)
Machalilla culture, 540, 542 (chart)
Manabi Subdivision, 542 (chart), 543 (map)
Mangrove Islands, extent of, 485 (map)
Mangrove swamps, 483, 484, 486, 487 (map), 488 (map), 489, 491, 539
Manos, stone, 497, 498 (fig.), 541
Manteño culture, 537, 542 (chart), 545
Manteño occupation, 538, 546
Manteño Phase, 537, 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
Material cultures, tabulation, 540
Meggers, Betty J., *see* Estrada, Meggers, and Evans, 483
Metates, stone, 497, 541
Mica tempering, 544
Milagro culture, 542 (chart), 545
Molina, Walter, 483
Morro *salitre*, 486 (map)
Museo Víctor Emilio Estrada, 483

National Science Foundation, grant from, 484
Neck flanges, 517 (figs.)

Objects, bone, 491
  miscellaneous, 491
  wood, 491
Obsidian dates, 540, 544
Oliva peruviana, 493
Ornaments, 491, 501–502
  bird, 495 (fig.), 496
  shell, 492 (figs.), 540
  stone, 540
Ostrea columbiensis, 486, 489
Oyster, mangrove (*Ostrea columbiensis*), 486, 489

Paint, black, 526, 527
  red, 505, 506, 518, 519, 520, 523, 524, 526, 527, 529, 531, 532, 533, 534, 538, 541
  white, 503, 518, 527, 533, 534, 536
Parrot figure, 495 (fig.), 496–497
Pendants, plain, 496
  shell, 492 (fig.), 540
Penrose Fund, grant from, 484
Peruvian Border, 484, 485
Pesqueria *salitre*, 486 (map)
Pichincha, 543 (map)
Pigment, red, 497, 500, 503
Playas, 484, 485 (map)
Playas-Posorja area, 484, 485 (map), 490, 539
Pongal, 485 (map)
Posorja, Ecuador, 483, 485 (map), 489
Post holes, traces of, 490
Pottery, 483
  Ayalan Ordinario, *see* Ayalan Plain, 516
  Ayalan Plain, 506, 515, 516, 538 (fold-in fig.), 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
  Barcelona Línea Oscura, *see* Barcelona Painted Dark Line, 537, 541
  Barcelona Painted Dark Line, 537, 541, 553 (table)
  bases, *see also* base form, 539
  Chorrera Iridescent, 537, 541, 553 (table)
  Chorrera Iridiscente, *see* Chorrera Iridescent, 537, 541
  decorations, 517, 524, 528–529, 531, 533, 535
  Guangala Bicolor, 541
  Guangala Bruñido, *see* Guangala Burnished Line, 537, 541
  Guangala Burnished Line, 537, 541, 553 (table)
  Guangala Finger Painted, 537, 541, 553 (table)
  Guangala Phase type, 537, 538 (fold-in fig.), 553 (table)
  Guangala Pintado con Dedo, *see* Guangala Finger Painted, 537, 541
  Guangala Polished Red, 553 (table)
  Guangala White-on-Red, 541
  Incised, 553 (table)
  Incised and punctate decoration, 504
  Jambelí Blanco Bañado, *see* Jambelí White Wash, 536
  Jambelí Blanco Pintado, *see* Jambelí White Painted, 535
  Jambelí Blanco Sobre Rojo Pulido, *see* Jambelí White-on-Red, 532
  Jambelí Incised, 516–517 (fig.), 518 (figs.), 523 (figs.), 538 (fold-in fig.), 544, 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)

Pottery—Continued
Jambelí Incised with impressed rings on flange, 521 (figs.), 522 (figs.)
Jambelí Incised with openwork, 519 (fig.), 520 (figs.)
Jambelí Inciso, *see* Jambelí Incised, 516
Jambelí Negative, 511, 526 (figs.), 527 (figs.), 538 (fold-in fig.), 540, 544, 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
Jambelí Negativo, *see* Jambelí Negative, 524
Jambelí Ordinario, *see* Jambelí Plain, 525
Jambelí Plain, 515, 516, 525, 538 (fold-in fig.), 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
Jambelí Polished Red, 511, 524, 530, 538 (fold-in fig.), 544, 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
Jambelí Punctate, 528 (figs.), 529 (figs.), 538 (fold-in fig.), 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
Jambelí Punteado, *see* Jambelí Punctate, 528
Jambelí Raspado con Concha, *see* Jambelí Shell Scraped, 531
Jambelí Red Banded, 511, 515, 530, 538 (fold-in fig.), 540, 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
Jambelí Red Wash, 531, 538 (fold-in fig.), 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
Jambelí Rojo Bañado, *see* Jambelí Red Wash, 531
Jambelí Rojo en Bandas, *see* Jambelí Red Banded, 530
Jambelí Rojo Pulido, *see* Jambelí Polished Red, 530
Jambelí Shell Scraped, 531, 538 (fold-in fig.), 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
Jambelí type, 484, 490, 503 (figs.), 504 (figs.), 506
Jambelí white and red variety, 534 (figs.), 535
Jambelí white-on-red, 490, 504, 511, 515, 530, 532, 533 (figs.), 534 (figs.), 538 (fold-in fig.), 540, 541, 544, 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
Jambelí White Painted, 535, 536 (figs.), 538 (fold-in fig.), 544, 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
Jambelí White Wash, 536, 538 (fold-in fig.), 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
Pottery—Continued
La Libertad Bicolor, 541
La Libertad Tricolor, 541
legs, 539
Manteño Phase type, 537–538
Plain, 553 (table)
Playas Engraved, 537
Playas Grabado, *see* Playas Engraved, 537
Playas Gray Polished, 537
Playas Gris Pulido, *see* Playas Gray Polished, 537
Posorja Polished Plain, 537, 538 (fold-in fig.), 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
Posorja Pulido, *see* Posorja Polished Plain, 537
rim embellishments, 517 (figs.)
rim shapes, frequency of, 554–557 (table)
spouts, 539
Pottery type descriptions, 516–537
Pottery types, 507–515, 548 (table), 549 (table), 550 (table), 551 (table), 552 (table), 553 (table)
frequency of, 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
percentage, 548 (table), 549 (table), 550 (table), 551 (table), 552 (table), 553 (table), 554 (table)
unclassified, 538, 548 (table), 549 (table), 550 (table), 551 (table), 552 (table)
Puná Island, Guayas Province, 483, 484, 485 (map), 486 (map), 487 (map), 489, 491 (list), 539

Quartzite, 497

Radiocarbon Laboratory, Dept. of Physics and Chemistry, Gakushuin University, 544
Rain, scarcity of, 484
Regional Development Period, 491, 537, 540, 541, 542 (chart)
Regional Developmental cultures, 540
Rim embellishments, 517 (figs.)
Rim forms, analysis of, 539
Rim lugs, 517 (figs.)
Rim shapes, 554–557 (table)
frequency of, 554–557 (table)
Rims, undulating, 517 (figs.)
Río Tumbes, 544
Rock, broken, 490
fire-burnt, 487
Rubin, Meyer, and Alexander, Corrinne, 544

Salitre San Miguel, 489
Salitres, 483, 484, 487, 489, 490
Sample G–605, 545
Sand, tempering, 538, 544
Sandstone, 497
Schist, chlorite, 501

Seriated Sequence, implications of, 538–540 (fold-in fig.)
Serpentine, 501
Shale, 501
Shell container, 540, 541
Shell middens, 486, 489, 490
Shell objects, miscellaneous, 491
Shell refuse, 490
Shellfish, 489, 540
Shells, compacted, 487, 489, 540
  conch, 493 (figs.)
  cone, 492
  perforated complete, 492 (figs.), 493 (figs.)
  white, 495
Sherds, 483, 486, 489, 490, 507, 518 (figs.), 519 (figs.), 520 (figs.), 521 (figs.), 522 (figs.), 526 (figs.), 527 (figs.), 528 (figs.), 529 (figs.), 533 (figs.), 534 (figs.), 536 (figs.), 539, 545
  Applique Nubbins, 538
  base, 507, 511, 515 (figs.)
  body, 507, 508–509 (figs.), 512 (figs.), 513 (figs.), 514 (figs.)
  Trade, 537–538, 540, 541
  Unclassified decorated, 538
  worked, 506–507
Site characteristics, 484
Site G–84 (Posorja), 483, 489, 491, 506, 538 (fold-in fig.), 539 (fold-in fig.), 541, 548 (table), 553 (table), 554 (table), 556 (table), 558 (table)
Site G–86 (La Manguita), 483, 486, 489, 491, 497, 501, 538 (fold-in fig.), 539 (fold-in fig.), 548 (table), 549 (table), 553 (table), 555 (table), 557 (table), 558 (table)
Site G–109, 491, 538 (fold-in fig.), 539 (fold-in fig.), 549 (table), 554 (table), 556 (table), 558 (table)
Site G–L–2, 491, 538 (fold-in fig.), 539 (fold-in fig.), 549 (table), 554 (table), 556 (table), 558 (table)
Site G–L–3, 491, 538 (fold-in fig.), 539 (fold-in fig.), 549 (table), 554 (table), 556 (table), 558 (table)
Site G–L–7, 491, 538 (fold-in fig.), 539 (fold-in fig.), 549 (table), 554 (table), 556 (table), 558 (table)
Site G–L–9, 491, 550 (table)
Site G–L–12, 491, 550 (table)
Site G–L–13, 491
Site G–L–16, 491
Site G–L–18, 491
Site G–L–20, 491
Site G–L–21, 491
Site G–L–27, 491, 538 (fold-in fig.), 539 (fold-in fig.), 550 (table), 554 (table), 556 (table), 558 (table)
Site G–L–28, 491, 538 (fold-in fig.), 539 (fold-in fig.), 550 (table), 554 (table), 556 (table), 558 (table)
Site G–L–29, 491, 550 (table)
Site G–L–30 (Cangrejito), 491, 497, 537, 538 (fold-in fig.), 539 (fold-in fig.), 545, 550 (table), 553 (table), 554 (table), 556 (table), 558 (table)
Site G–L–34, 491, 550 (table)
Site G–Mo–3, 491, 502, 538 (fold-in fig.), 539 (fold-in fig.), 550 (table), 554 (table), 556 (table), 558 (table)
Site G–Mo–11, 491, 538 (fold-in fig.), 539 (fold-in fig.), 551 (table), 554 (table), 556 (table), 558 (table)
Site G–Mo–15, 491, 551 (table)
Site G–Mo–16, 491
Site G–Mo–17, 491, 538 (fold-in fig.), 539 (fold-in fig.), 551 (table), 554 (table), 556 (table), 558 (table)
Site M–7, 544
Site O–3 (Estero Chiveria No. 1), 490, 505, 506, 507, 537, 538 (fold-in fig.), 539 (fold-in fig.), 546, 551 (table), 553 (table), 554 (table), 556 (table), 558 (table)
Site O–4 (Estero Chiveria No. 2), 490
Site O–5 (Embarcadero), 487, 490, 497, 500, 501, 538 (fold-in fig.), 539 (fold-in fig.), 551 (table), 552 (table), 554 (table), 556 (table), 558 (table)
Site O–6 (Las Huacas), 486, 490, 492, 493, 494, 495, 496, 497, 500, 502, 506, 507, 524, 538 (fold-in fig.), 539 (fold-in fig.), 552 (table), 554 (table), 556 (table), 558 (table)
Site O–7 (Tendales), 490
Site P–2 (Campo Alegro No. 1), 489, 491, 538 (fold-in fig.), 539 (fold-in fig.), 552 (table), 554 (table), 556 (table), 558 (table)
Site P–4, 490
Site P–8, 491, 538 (fold-in fig.), 539 (fold-in fig.), 552 (table), 555 (table), 557 (table), 558 (table)
Site P–9, 491, 538 (fold-in fig.), 539 (fold-in fig.), 552 (table), 555 (table), 557 (table), 558 (table)
Site P–12 (Los Chalacos), 491, 538 (fold-in fig.), 539 (fold-in fig.), 552 (table), 554 (table), 556 (table), 558 (table)
Site P–13 (Jerónimo), 491, 552 (table)
Sites, habitation, 487
  Jambelí Phase, 483, 484, 485 (map)
Sites and levels, in seriated order, 554–557 (table), 558 (table)
Sites with sherds, 486 (map)
Sites without sherds, 486 (map)
Spindle whorl, stone, 502, 540
Spondylus shell, 491, 493, 494, 495, 496
Spouts, 517 (figs.)
Stone, discoidal shaped, 500 (fig.), 501
  rarely used, 491
  worked, 501

Stone chips, 487
Stones, fire-burnt, 490
Strata cut, 483
Swett, Jorge, 483

Tesone culture, 542 (chart), 543 (map)
Tejar culture, 540 (table), 542 (chart), 543 (map)
Tendales (O–7), El Oro Province, 484, 485 (map), 490
Test pit, 552 (table), 554 (table), 556 (table)
Tomb 2, Garbanzal site, 544
Tombs, shaft and chamber, 544
Tumbes, 485 (map), 544

Utensils, stone, 497–501

Valdivia culture, 489, 507, 540, 452 (chart)
Vegetation, 486
Vessel appendages, frequency of, 558 (table)
Vessel form, bowl with everted rim, 509 (fig.), 510, 539 (fold-in fig.)
carinated bowl, 508 (fig.), 510, 540
compotera, 540
deep bowl with expanded rim, 509 (fig.), 510
Vessel—Continued
jar with constricted neck and everted rim, 510, 512 (figs.)
jar with exteriorly thickened rim, 511, 513 (figs.)
large compotera, 511, 514 (fig.), 539 (fold-in fig.)
large compotera with apron flange, 511, 514 (figs.)
large compotera with cut-out design, 540
rounded, shallow to deep, 507, 508 (fig.)
rounded jar with constricted mouth, 511, 513 (figs.)
shallow bowl with beveled or upturned rim, 508 (fig.), 510
shallow bowl with exterior flange rim, 510, 512 (fig.)
shallow bowl with flat rim, 508 (fig.), 510
shallow bowl with interior rim thickening, 509 (fig.), 510
Vessel forms, 508–509 (figs.)
analysis of, 539 (fold-in figs.)
Vessel shapes, 540, 544, 545 (figs.)
Vessel supports, polypod or tripod, 540

Xesspe, Mejía, 524, 544